## NSN 5905-01-592-0088

Nonprecision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-592-0088 **Section Quantity: Body Style:** Cylindrical bushing mounted **Reliability Indicator:** Not established **Body Diameter:** 1.560 inches **Shaft Diameter:** 0.250 inches **Shaft Length:** 0.344 inches **Mounting Bushing Length:** 0.875 inches **Body Length:** 1.375 inches **Shaft Style:** Round **Actuator Type:** Single shaft **End Application:** Rfa fort rosalie **Screw Thread Diameter:** 0.375 inches **Screw Thread Series Designator:** Unf Screw Thready Qty Per Inch (tpi): 32.0 **Terminal Location:** Radially positioned over less than half the circumference **Mounting Method:** Standard bushing **Electrical Resistance Per Section:** 1.0 percent, rated amperes c and better flooring **Power Dissipation Rating Per Section In Watts:** 25.0 7th secondary at 10'30 oclock

**Special Features:** Rohs compliant **Terminal Type And Quantity:** 3 eyelet Shelf Life: N/a

## NSN 5905-01-592-0088

Nonprecision Wire Wound Variable Resistor - Page 2 of 2



U	n	it	Of	Μe	eas	ur	e:

--

Demilitarization:

No

Fiig:

A002a0