NSN 5905-01-613-9821

Film Fixed Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-613-9821

Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:

-50.0 to 50.0

Electrical Resistance:

24.6 kilohms

Resistance Tolerance In Percent:

-0.1 to 0.1

Ambient Tempurature In Deg Celsius At Full Rated Power:

125.0

- Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:
- 175.0
- Tempurature Range Of Tempurature Coefficient In Deg Celsius:
- -55.0 to 175.0
- **Inclosure Method:**
- Encapsulated
- **Terminal Type:**
- Wire lead
- Reliability Indicator:
- Established
- Reliability Failure Rate Level In Percent:
- 0.001
- Terminal Length:
- Between 1.375 inches and 1.625 inches

Body Diameter:

Between 0.078 inches and 0.140 inches

Body Length:

Between 0.204 inches and 0.281 inches

Power Dissipation Rating In Watts:

- 0.1 free air
- Err Default:
- Between 0.023 inches and 0.027 inches

End Application:

Nsn: 4920-01-495-9100, test station, electrical-electronic equipment

Style Designator:

Axial terminal each end

Test Data Document:

81349-mil-prf-55182 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain

environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Specification Data:

81349-mil-prf-55182/1 government specification

Shelf Life:

N/a

NSN 5905-01-613-9821

Film Fixed Resistor - Page 2 of 2

Demilitarization:

No

Fiig:

A001a0

Mil-std (military Standard):

Mil-prf-55182 spec.

