NSN 5905-01-620-4160

Film Fixed Resistor Network - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-620-4160

| Tempurature | Coefficient | Of Resistance | In Ppm | Per Deg | Celsius: |
|-------------|-------------|---------------|--------|---------|----------|
|-------------|-------------|---------------|--------|---------|----------|

-100.0 to 100.0 first temp coefficient

Electrical Resistance:

4.700 kilohms each resistor

Resistance Tolerance In Percent:

-2.0 to 2.0 each resistor

Ambient Tempurature In Deg Celsius At Full Rated Power:

70.0

Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:

125.0

Tempurature Range Of Tempurature Coefficient In Deg Celsius:

-55.0 to 125.0 temp range of first temp coefficient

Inclosure Method:

Encapsulated

Terminal Quantity:

10

Terminal Type:

Tab, solder lug

Reliability Indicator:

Not established

Terminal Length:

0.130 inches

Body Length:

0.998 inches

Body Width:

0.098 inches

Body Height:

0.200 inches

Power Dissipation Rating In Watts:

1.250 total network

Unable To Decode:

0.020 inches

End Application:

Common digitizer 2

Identical Value Resistor Quantity:

9 each resistor

Product Name:

Resistor; 46oox series - thick film conformal sip

Special Features:

Lead-free; rohs compliant

Style Designator:

Terminals one edge

NSN 5905-01-620-4160

Film Fixed Resistor Network - Page 2 of 2



| \sim | | | | |
|--------|----|----|------|--|
| • | no | ıŦ | ife: | |
| | | | | |

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A001a0