NSN 5905-01-625-2868

Nonprecision Nonwire Wound Variable Resistor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5905-01-625-2868 **Section Quantity: Body Style:** Rectangular **Reliability Indicator:** Not established **Body Length:** Between 6.34 millimeters and 7.36 millimeters **Body Width:** Between 6.10 millimeters and 6.60 millimeters **Body Height:** Between 3.93 millimeters and 4.69 millimeters **Actuator Type:** Integral knob **Center To Center Distance Between Terminals:** 2.54 millimeters **Terminal Location:** Rear end **Mounting Method:** Snap-in **Electrical Resistance Per Section:** 103000.0 ohms single section **Center To Center Distance Between Center Terminal And Outside Terminal:** 2.54 millimeters **Power Dissipation Rating Per Section In Watts:** 0.25 free air single section **Resistance Tolerance Per Section In Percent:** -10.0 to 10.0 single section **Product Name:** Bourns 3266 1/4 square trimpot trimming potentiometer **Special Features:** Dielectric strength at sea level is 600 vac; operating temp range is -55 degrees c to 125 degrees c; standard packaging for item is a tube (50 pieces per); item is 100% tin-plated (rohs compliant) **Terminal Type And Quantity:** 3 pin Shelf Life: N/a **Unit Of Measure:**

No

Fiig:

A002a0

Demilitarization: