

View Online at https://aerobasegroup.com/nsn/5905-01-627-9041

# Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:

-20.0 to 20.0

**Electrical Resistance:** 

1.0 ohms

**Resistance Tolerance In Percent:** 

-1.0 to 1.0

Ambient Tempurature In Deg Celsius At Full Rated Power:

### 25.0

Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:

250.0

Tempurature Range Of Tempurature Coefficient In Deg Celsius:

-55.0 to 250.0

Inclosure Method:

Encapsulated

**Terminal Type:** 

## Wire lead

**Reactance Characteristic:** 

Inductive

Reliability Indicator:

Not established

**Terminal Length:** 

0.312 inches

#### Body Diameter:

0.420 inches

### **Body Length:**

0.750 inches

#### **Body Width:**

0.420 inches

Body Height:

0.390 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

0.562 inches

Power Dissipation Rating In Watts:

7.5 free air

### Mounting Hole Size:

0.094 inches

### Product Name:

Wirewound resistor, industrial power, aluminum housed, chassis mount

### **Special Features:**

Element: copper-nickel alloy; core: ceramic, steatite or alumina; encapsulant: silicone molded construction; housing: aluminum with hard

anodic coating; end caps: stainless steel

## Style Designator:

Axial terminal (s)



Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A001a0