# NSN 5905-01-629-6183

Film Fixed Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-629-6183

#### Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:

-100.0 to 100.0

#### **Electrical Resistance:**

5.620 kilohms

#### **Resistance Tolerance In Percent:**

-1.000 to 1.000

#### Ambient Tempurature In Deg Celsius At Full Rated Power:

#### 70.0

#### Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:

150.0

#### Tempurature Range Of Tempurature Coefficient In Deg Celsius:

-65.0 to 150.0

#### **Inclosure Method:**

Uninclosed

### Terminal Type:

Terminal type per body style

### **Reliability Indicator:**

Established

#### **Reliability Failure Rate Level In Percent:**

1.000

#### Body Length:

0.080 inches

#### Body Width:

0.050 inches

#### **Body Height:**

0.015 inches

#### **Power Dissipation Rating In Watts:**

0.150 free air

#### **Product Name:**

Qpl mil-prf-55342 qualified thin film resistor chip

#### **Special Features:**

Non-inductive; high purity alumina substrate; resistive element: tantalum nitride; chip termination: solder over nickel; plated solder: 90/10

#### Style Designator:

Termination pad each end

#### Shelf Life:

N/a

#### Unit Of Measure:

---

#### **Demilitarization:**

No

#### Fiig:

A001a0

# NSN 5905-01-629-6183

Film Fixed Resistor - Page 2 of 2

## Mil-std (military Standard):

Mil-prf-55342 spec.

