

View Online at <https://aerobasegroup.com/nsn/5905-01-631-9104>

Temperature Coefficient Of Resistance In Ppm Per Deg Celsius:

-25.0 to 250.0

Electrical Resistance:

287.0 ohms

Resistance Tolerance In Percent:

-1.0 to 1.0

Ambient Temperature In Deg Celsius At Full Rated Power:

25.0

Ambient Temperature In Deg Celsius At Zero Percent Rated Power:

250.0

Temperature Range Of Temperature Coefficient In Deg Celsius:

-55.0 to 250.0

Inclosure Method:

Encapsulated

Terminal Type:

Tab, solder lug

Reactance Characteristic:

Noninductive

Reliability Indicator:

Not established

Body Length:

0.750 inches

Body Width:

0.420 inches

Body Height:

0.390 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

0.562 inches

Power Dissipation Rating In Watts:

12.5 free air

Mounting Hole Size:

0.094 inches

Product Name:

Wirewound resistors, industrial power, aluminum housed, chassis mount

Special Features:

Non-inductive with ayrton-perry winding; molded construction; material: termination: lead (pb)-free, no/pd/au finish on copper clad steel core terminal; element: copper-nickel alloy or nickel-chrome alloy; core: ceramic, steatite, or alumina; encapsulant: silicone molded; housing: aluminum with hard anodic coating; end caps: stainless steel; rohs compliant

Style Designator:

Axial terminal (s)

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A001a0