Wire Wound Fixed Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-631-9257

## Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:

-20.0 to 20.0

**Electrical Resistance:** 

0.0 ohms

**Resistance Tolerance In Percent:** 

-1.0 to 1.0

Ambient Tempurature In Deg Celsius At Full Rated Power:

#### 25.0

Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:

250.0

**Inclosure Method:** 

Encapsulated

**Terminal Type:** 

Tab, solder lug

**Reactance Characteristic:** 

Noninductive

Reliability Indicator:

Not established

# Body Length:

1.968 inches

#### Body Width:

1.140 inches

#### Body Height:

0.610 inches

#### Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

1.562 inches

**Power Dissipation Rating In Watts:** 

0.25 free air

Mounting Hole Size:

0.125 inches

**Product Name:** 

Wirewound resistor, industrial power, aluminum housed, chassis mount

## **Special Features:**

Lea (pb) -free, halogen free; card pack; material: element: copper-nickel alloy or nickel-chrome alloy; core: ceramic, steatite or alumina; encapsulant: silicone molded construction; housing: aluminum with hard anodic coating; end caps: stainless steel; terminals: ni/pd/au, finish is on copper-clad steel core terminal

Style Designator:

Axial terminal (s)

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

# NSN 5905-01-631-9257

Wire Wound Fixed Resistor - Page 2 of 2

Fiig: A001a0

