

View Online at <https://aerobasegroup.com/nsn/5910-00-003-5842>

Body Style:

Rotary

Terminal Length:

1.000 inches

Body Length:

Between 0.264 inches and 0.296 inches

Body Width:

Between 0.194 inches and 0.226 inches

Body Height:

Between 0.109 inches and 0.141 inches

Temperature Coefficient Of Capacitance In Ppm Per Deg Celsius:

-450.0 single section

Temperature Coefficient Of Capacitance Range In Ppm Per Deg Celsius:

-300.0 to 300.0 single section

Center To Center Distance Between Terminals Parallel To Height:

0.125 inches

Terminal Diameter:

0.016 inches

Quality Factor At 25 Deg Celsius:

500.0

Fragility Factor:

Moderately rugged

Inclosure Type:

Encased

Adjustment Device Torque:

Between 0.500 inch-ounces and 5.000 inch-ounces

Insulation Dc Resistance At 25 Deg Celsius:

10000.0 megohms

Mounting Facility Type And Quantity:

4 terminal

Nonderated Operating Temp:

Between -55.0 degrees celsius and 85.0 degrees celsius

Capacitance Range In Picofarads:

+5.0 to 30.0 single section

Nonderated Voltage Rating And Type:

50.0 dc continuous single section

Adjustment Device Drive Type And Quantity:

1 slotted screw

Capacitance Drift In Picofarads:

0.50 single section

Material:

Ceramic capacitive electrode

Terminal Type And Quantity:

4 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A096a0