Plastic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-005-3804

#### **Body Style:**

W/o mtg facilities terminal (s) on one surface

#### **Reliability Indicator:**

Not established

## **Terminal Length:**

1.500 inches

#### **Body Length:**

1.180 inches

#### **Body Width:**

0.830 inches

#### **Body Height:**

0.500 inches

#### Center To Center Distance Between Terminals Parallel To Length:

0.962 inches

#### Schematic Diagram Designator:

No common or grounded electrode (s)

#### Insulation Resistance At Maximum Operating Temp:

25.0 megohm-microfarads

#### Capacitance Value Per Section:

0.470 microfarads single section

#### Nonderated Operating Temp:

Between -40.0 degrees celsius and 85.0 degrees celsius

#### Nonderated Continuous Voltage Rating And Type Per Section:

100.0 dc single section

#### **Tolerance Range Per Section:**

-10.00 to 10.00 percent single section

#### **Case Material:**

Plastic

#### Insulation Resistance At Reference Temp:

25000.0 megohm-microfarads

#### **Dissipation Factor At Reference Tempurature In Percent:**

1.0000

# **Terminal Surface Treatment:**

Solder

## **Terminal Type And Quantity:**

2 uninsulated wire lead

Shelf Life:

N/a

Unit Of Measure:

--

#### Demilitarization:

No

# NSN 5910-00-005-3804

Plastic Dielectric Fixed Capacitor - Page 2 of 2

**Fiig:** A010b0

