## NSN 5910-00-018-9075

Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-018-9075

Body Style:
W/o mtg facilities, terminal (s) on one endw/o mtg facilities, terminal(s) on one end
Reliability Indicator:
Not establishednot established
Body Diameter:
1.406 inches
Body Length:
2.188 inches
Schematic Diagram Designator:
Electrod (s) grounded to case, w/gnd terminal
Anode Type:
Plain foil
Electrical Polarization:
Polarized
Capacitance Value Per Section:
840.000 microfarads single section
Nonderated Operating Temp:
Between -40.0 degrees celsius and 85.0 degrees celsius
Dc Leakage At Maximum Operating Temp:
2.86 milliamperes
Nonderated Continuous Voltage Rating And Type Per Section:
30.0 dc single section
Tolerance Range Per Section:
-10.00/+100.00 percent single section
Case Material:
Metal
Capacitive Electrode Material:
Aluminum
Equivalent Series Resistance At Reference Tempurature In Ohms:
0.34
Dc Leakage At Reference Temp:
0.480 milliamperes
Test Data Document:
83744-159-20839 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Terminal Type And Quantity:
2 threaded hole
Shelf Life:
N/a
Unit Of Measure:

No

Demilitarization:

## NSN 5910-00-018-9075

Electrolytic Fixed Capacitor - Page 2 of 2



Fiig:

A010b0