

View Online at <https://aerobasegroup.com/nsn/5910-00-020-2473>

Thread Class:

2a

Body Style:

Plate-meshing

Overall Length:

Between 1.172 inches and 1.234 inches

Bushing Diameter:

0.250 inches

Overall Height:

0.750 inches

Overall Width:

0.625 inches

Shaft Diameter:

0.188 inches single shaft

Bushing Length:

0.250 inches

Shaft Length:

0.500 inches single shaft

Body Length:

Between 0.672 inches and 0.734 inches

Temperature Coefficient Of Capacitance In Ppm Per Deg Celsius:

0.0 single section

Tolerance Of Temperature Coefficient In Ppm Per Deg Celsius:

-50.0 to 50.0 single section

Fragility Factor:

Moderately rugged

Mounting Facility Screw Thread Series Designator:

Unef

Inclosure Type:

Uninclosed

Tuning Characteristic:

Straight line capacity single section

Adjustment Device Rotation:

180.0 degrees clockwise

Adjustment Device Torque:

Between 0.200 inch-ounces and 8.000 inch-ounces

Bushing Shape:

Round

Mounting Facility Type And Quantity:

1 threaded bushing

Thread Size:

0.250 inches

Shaft Type:

Round, slotted single shaft

Capacitance Range In Picofarads:

+1.5/+5.0 single section

Nonderated Voltage Rating And Type:

1250.0 ac peak single section

Adjustment Device Drive Type And Quantity:

1 shaft

Material:

Steatite base

Terminal Type And Quantity:

2 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A096a0