

View Online at <https://aerobasegroup.com/nsn/5910-00-020-8007>

**Body Style:**

W/thd mtg hol (s)/stud(s), terminal(s) on one surface

**Reliability Indicator:**

Not established

**Terminal Length:**

0.250 inches

**Body Length:**

4.120 inches

**Body Width:**

1.050 inches

**Body Height:**

2.535 inches

**Center To Center Distance Between Terminals Parallel To Length:**

3.940 inches

**Center To Center Distance Between Mounting Facilities Parallel To Height:**

Between 1.125 inches and 1.875 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

0.440 inches

**Schematic Diagram Designator:**

One terminal common to each section

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

Between 0.593 inches and 0.656 inches

**Mounting Facility Screw Thread Series Designator:**

Unc

**Mounting Facility Type And Quantity:**

10 threaded mounting holes

**Section Quantity:**

9

**Insulation Resistance At Maximum Operating Temp:**

25.0 megohm-microfarads

**Capacitance Value Per Section:**

0.005 microfarads 2nd section

**Nonderated Operating Temp:**

Between -65.0 degrees celsius and 125.0 degrees celsius

**Thread Size:**

0.112 inches

**Nonderated Continuous Voltage Rating And Type Per Section:**

1500.0 dc 3rd section

**Tolerance Range Per Section:**

-10.00 to 10.00 percent all sections

**Case Material:**

Plastic

**Insulation Resistance At Reference Temp:**

5000.0 megohm-microfarads

**Dissipation Factor At Reference Temperature In Percent:**

0.005

**Terminal Type And Quantity:**

10 solder stud

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A010b0