## NSN 5910-00-054-7709

Electrolytic Fixed Capacitor - Page 1 of 2



view Online at https://aerobasegroup.com/hsn/5910-00-054-7709
Body Style:
W/o mtg facilities, terminal (s) on one surfacew/o mtg facilities, terminal(s) on one surfacew/o mtg facilities, terminal(s) on one surface
Reliability Indicator:
Not establishednot established
Terminal Length:
0.625 inches 0.625 inches 0.625 inches
Body Length:
2.937 inches
Body Width:
2.250 inches
Body Height:
3.375 inches
Schematic Diagram Designator:
No common or grounded electrode (s)
Anode Type:
Plain foil
Electrical Polarization:
Nonpolarized
Features Provided:
Hermetically sealed case
Capacitance Value Per Section:
7.500 microfarads single section
Nonderated Operating Temp:
Between -30.0 degrees celsius and 55.0 degrees celsius
Nonderated Continuous Voltage Rating And Type Per Section:
440.0 ac-rms single section
Tolerance Range Per Section:
-20.00/+20.00 percent single section
Case Material:
Metal
Capacitive Electrode Material:
Aluminum
Dissipation Factor At Reference Tempurature In Percent:
2.0000
Terminal Surface Treatment:
Solder
Terminal Type And Quantity:
2 tab, solder lug
Shelf Life:

N/a

**Unit Of Measure:** 

## NSN 5910-00-054-7709

Electrolytic Fixed Capacitor - Page 2 of 2



_						
ם ו	mil	11+2	riz	211	$\sim$	٦.
UC		IILa	114	аи	vi	и.

No

Fiig:

A010b0