

View Online at https://aerobasegroup.com/nsn/5910-00-055-7769

# **Body Style:**

W/o mtg facilities, axial terminals

**Reliability Indicator:** 

Not established

**Terminal Length:** 

1.625 inches

# **Body Diameter:**

0.251 inches

**Body Length:** 

0.907 inches

**Terminal Diameter:** 

0.025 inches

Schematic Diagram Designator:

No common or grounded electrode (s)

**Internal Electrical Connection Type:** 

Extended foil

#### **Features Provided:**

Hermetically sealed case

# Insulation Resistance At Maximum Operating Temp:

150.0 megohms

## Capacitance Value Per Section:

1000.000 picofarads single section

## Nonderated Operating Temp:

Between -55.0 degrees celsius and 125.0 degrees celsius

## Nonderated Continuous Voltage Rating And Type Per Section:

200.0 dc single section

#### **Tolerance Range Per Section:**

-20.00 to 20.00 percent single section

#### **Case Material:**

Metal

#### Insulation Resistance At Reference Temp:

18000.0 megohms

#### **Dissipation Factor At Reference Tempurature In Percent:**

1.0000

#### **Terminal Surface Treatment:**

Solder

# **Case Insulation Material:**

Plastic

## **Test Data Document:**

95750-54130576 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing,

etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

# Terminal Type And Quantity:

2 uninsulated wire lead

Paper Dielectric Fixed Capacitor - Page 2 of 2



Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0