Mica Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-058-1818

# **Body Style:**

W/mtg hol (s)/slot(s), terminals on opposite surfaces

# **Reliability Indicator:**

Not established

# Body Length:

1.250 inches

# Body Width:

1.125 inches

# **Body Height:**

0.328 inches

# Center To Center Distance Between Terminals Parallel To Length:

Between 1.720 inches and 1.780 inches

# **Unthreaded Mounting Hole Diameter:**

#### 0.144 inches

# Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

1.312 inches

# Schematic Diagram Designator:

No common or grounded electrode (s)

# Mounting Facility Type And Quantity:

2 unthreaded mounting holes

# Insulation Resistance At Maximum Operating Temp:

4000.0 megohms

# Capacitance Value Per Section:

110.000 picofarads single section

# Nonderated Operating Temp:

Between -55.0 degrees celsius and 85.0 degrees celsius

# Nonderated Continuous Voltage Rating And Type Per Section:

2500.0 dc single section

# **Tolerance Range Per Section:**

-2.00 to 2.00 percent single section

# Insulation Resistance At Reference Temp:

10000.0 megohms

# **Terminal Surface Treatment:**

Solder

# **Terminal Type And Quantity:**

2 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

# Demilitarization:

No

# NSN 5910-00-058-1818

Mica Dielectric Fixed Capacitor - Page 2 of 2

**Fiig:** A010b0

