Paper Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-061-3421

# Body Style:

W/o mtg facilities, axial terminals

**Reliability Indicator:** 

Not established

Terminal Length:

1.500 inches

Body Diameter:

0.234 inches

Body Length:

0.750 inches

**Body Width:** 

0.296 inches

Body Height:

0.296 inches

**Terminal Diameter:** 

0.020 inches

### Schematic Diagram Designator:

No common or grounded electrode (s)

#### **Internal Electrical Connection Type:**

Extended foil

## Features Provided:

Hermetically sealed case

### Insulation Resistance At Maximum Operating Temp:

10.0 megohm-microfarads

### Capacitance Value Per Section:

6800.000 picofarads single section

### Nonderated Operating Temp:

Between -55.0 degrees celsius and 125.0 degrees celsius

# Nonderated Continuous Voltage Rating And Type Per Section:

400.0 dc single section

### **Tolerance Range Per Section:**

-10.00 to 10.00 percent single section

### Case Material:

Metal

### Insulation Resistance At Reference Temp:

2000.0 megohm-microfarads

# Dissipation Factor At Reference Tempurature In Percent:

1.000

# Power Factor At Reference Tempurature In Percent:

2.000

### **Terminal Surface Treatment:**

Solder

Paper Dielectric Fixed Capacitor - Page 2 of 2



**Case Insulation Material:** 

Plastic

Terminal Type And Quantity:

2 uninsulated wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0