

View Online at https://aerobasegroup.com/nsn/5910-00-062-0931

### **Body Style:**

W/o mtg facilities terminal (s) on one surface

### **Reliability Indicator:**

Not established

## **Terminal Length:**

1.250 inches

### **Body Length:**

0.300 inches

#### **Body Width:**

0.300 inches

#### **Body Height:**

0.150 inches

### Center To Center Distance Between Terminals Parallel To Length:

Between 0.185 inches and 0.215 inches

#### **Terminal Diameter:**

0.025 inches

### Schematic Diagram Designator:

No common or grounded electrode (s)

### Capacitance Value Per Section:

0.220 microfarads single section

### Nonderated Operating Temp:

Between -15.0 degrees celsius and 70.0 degrees celsius

### Nonderated Continuous Voltage Rating And Type Per Section:

100.0 dc single section

#### **Tolerance Range Per Section:**

-10.00/+10.00 percent single section

#### **Case Material:**

Plastic

Insulation Resistance At Reference Temp:

1000.0 megohm-microfarads

# Dissipation Factor At Reference Tempurature In Percent:

0.0200

# **Terminal Surface Treatment:**

Solder

# Test Data Document:

50222-2070 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.;

excludes any specification, standard or other document that may be referenced in a basic governing drawing)

# **Terminal Type And Quantity:**

2 uninsulated wire lead

# Shelf Life:

N/a

## Unit Of Measure:



Demilitarization:

No

Fiig:

A010b0