NSN 5910-00-062-0943

Paper Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-062-0943

Body Style:
W/mtg tabs/flanges terminal (s) on one surface
Reliability Indicator:
Not established
Body Length:
2.500 inches

1.188 inches

Body Width:

Body Height:

2.875 inches

Center To Center Distance Between Terminals Parallel To Length:

1.125 inches

Terminal Height From Body:

0.750 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

3.000 inches

Schematic Diagram Designator:

No common or grounded electrode (s)

Mounting Facility Screw Thread Series Designator:

Unf

Mounting Facility Type And Quantity:

2 threaded mounting studs

Features Provided:

Hermetically sealed case

Insulation Resistance At Maximum Operating Temp:

15.0 megohm-microfarads

Capacitance Value Per Section:

3.750 microfarads single section

Nonderated Operating Temp:

Between -55.0 degrees celsius and 85.0 degrees celsius

Thread Size:

0.190 inches

Nonderated Continuous Voltage Rating And Type Per Section:

330.0 ac-rms single section

Tolerance Range Per Section:

-6.00 to 6.00 percent single section

Case Material:

Metal

Insulation Resistance At Reference Temp:

1500.0 megohm-microfarads

Dissipation Factor At Reference Tempurature In Percent:

1.0000

NSN 5910-00-062-0943
Paper Dielectric Fixed Capacitor - Page 2 of 2



reminal Surface Treatment:
Solder
Terminal Type And Quantity:
2 tab, solder lug
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A010b0