

View Online at <https://aerobasegroup.com/nsn/5910-00-067-5646>

**Body Style:**

Piston

**Overall Length:**

Between 1.149 inches and 1.211 inches

**Terminal Length:**

0.500 inches

**Body Length:**

Between 0.969 inches and 1.031 inches

**Overall Diameter:**

0.313 inches

**Tolerance Of Temperature Coefficient In Ppm Per Deg Celsius:**

-100.0/+100.0 single section

**Center To Center Distance Between Terminals Parallel To Length:**

Between 0.844 inches and 0.906 inches

**Center To Center Distance Between Terminals Parallel To Diameter:**

0.281 inches

**Terminal Diameter:**

Between 0.025 inches and 0.035 inches

**Quality Factor At 25 Deg Celsius:**

500.0

**Fragility Factor:**

Moderately rugged

**Inclosure Type:**

Encapsulated

**Adjustment Device Torque:**

Between 1.000 inch-ounces and 10.000 inch-ounces

**Insulation Dc Resistance At 25 Deg Celsius:**

1000000.0 megohms

**Mounting Facility Type And Quantity:**

4 terminal

**Nonderated Operating Temp:**

Between -55.0 degrees celsius and 125.0 degrees celsius

**Capacitance Range In Picofarads:**

+0.8 to 18.0 single section

**Nonderated Voltage Rating And Type:**

750.0 dc continuous single section

**Adjustment Device Drive Type And Quantity:**

1 slotted screw

**Capacitance Drift In Picofarads:**

0.04 single section

**Material:**

Glass inclosure

**Precious Material And Location:**

Stator silver

**Precious Material:**

Silver

**Terminal Type And Quantity:**

4 wire lead

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A096a0