NSN 5910-00-068-9562

Glass Dielectric Variable Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-068-9562 **Body Style:** Piston **Overall Length:** 0.953 inches **Shaft Diameter:** 0.228 inches single shaft **Shaft Length:** 0.250 inches single shaft **Body Length:** 0.703 inches **Overall Diameter:** 0.250 inches Tempurature Coefficient Of Capacitance In Ppm Per Deg Celsius: 50.0 single section Tempurature Coefficient Of Capacitance Range In Ppm Per Deg Celsius: -25.0/+125.0 single section **Quality Factor At 25 Deg Celsius:** 500.0 **Mounting Facility Screw Thread Series Designator:** Unef **Inclosure Type:** Encapsulated **Adjustment Device Torque:** Between 1.000 inch-ounces and 5.000 inch-ounces **Insulation Dc Resistance At Max Operating Temp:** 10.0 megohms **Mounting Facility Type And Quantity:** 1 threaded stud **Nonderated Operating Temp:** Between -55.0 degrees celsius and 125.0 degrees celsius **Thread Size:** 0.250 inches Shaft Type: Round, slotted single shaft Capacitance Range In Picofarads: +0.8/+4.5 single section **Nonderated Voltage Rating And Type:** 750.0 dc continuous single section **Adjustment Device Drive Type And Quantity:** 1 shaft

Terminal Type And Quantity:

1 tab, solder lug and 1 wire lead

NSN 5910-00-068-9562

Glass Dielectric Variable Capacitor - Page 2 of 2



N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A096a0