

View Online at https://aerobasegroup.com/nsn/5910-00-071-7433

### **Body Style:**

W/o mtg facilities terminal (s) on one surface

**Reliability Indicator:** 

Not established

## **Terminal Length:**

1.250 inches

**Body Length:** 

0.290 inches

#### **Body Width:**

0.290 inches

**Body Height:** 

0.090 inches

#### Center To Center Distance Between Terminals Parallel To Length:

Between 0.185 inches and 0.215 inches

#### Schematic Diagram Designator:

No common or grounded electrode (s)

### Insulation Resistance At Maximum Operating Temp:

10000.0 megohms

### **Capacitance Value Per Section:**

10000.000 picofarads single section

### Nonderated Operating Temp:

Between -55.0 degrees celsius and 150.0 degrees celsius

#### Nonderated Continuous Voltage Rating And Type Per Section:

200.0 dc single section

#### **Tolerance Range Per Section:**

-10.00 to 10.00 percent single section

#### **Case Material:**

Ceramic

Insulation Resistance At Reference Temp:

100000.0 megohms

#### **Dissipation Factor At Reference Tempurature In Percent:**

1.5000

# **Terminal Surface Treatment:**

Solder

# Test Data Document:

97942-576r461h67 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing,

etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

# Terminal Type And Quantity:

2 uninsulated wire lead

## Shelf Life:

N/a

## Unit Of Measure:



Demilitarization:

No

Fiig:

A010b0