## NSN 5910-00-072-8598

Plastic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-072-8598 **Body Style:** W/o mtg facilities, terminal (s) on one surface Reliability Indicator: Not established **Terminal Length:** 1.250 inches **Body Length:** 0.500 inches **Body Width:** 0.195 inches **Body Height:** 0.375 inches Center To Center Distance Between Terminals Parallel To Length: Between 0.395 inches and 0.405 inches **Schematic Diagram Designator:** No common or grounded electrode (s) **Internal Electrical Connection Type:** Extended foil **Capacitance Value Per Section:** 22000.000 picofarads single section **Nonderated Operating Temp:** Between -55.0 degrees celsius and 85.0 degrees celsius Tempurature Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius: -200.0 single section Nonderated Continuous Voltage Rating And Type Per Section: 50.0 dc single section **Tolerance Of Tempurature Coefficient Per Section In Ppm Per Deg Celsius:** -30.0/+30.0 single section **Tolerance Range Per Section:** -1.00/+1.00 percent single section **Case Material: Plastic Insulation Resistance At Reference Temp:** 1000000.0 megohms **Dissipation Factor At Reference Tempurature In Percent:** 0.1500 **Terminal Surface Treatment:** Solder **Dielectric Material:** 

Plastic polyparaxylene **Terminal Type And Quantity:** 2 uninsulated wire lead

## NSN 5910-00-072-8598

Plastic Dielectric Fixed Capacitor - Page 2 of 2



Sneit	Lite:
N/a	

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0