

View Online at https://aerobasegroup.com/nsn/5910-00-079-0031

## **Body Style:**

W/o mtg facilities, radial terminals

## **Reliability Indicator:**

Not established

## **Terminal Length:**

1.250 inches

### **Body Diameter:**

0.593 inches

#### **Body Length:**

0.156 inches

### Center To Center Distance Between Terminals Parallel To Diameter:

0.250 inches

#### **Terminal Diameter:**

0.025 inches

#### Schematic Diagram Designator:

No common or grounded electrode (s)

### Capacitance Value Per Section:

3000.000 picofarads single section

## Voltage Tempurature Limits Per Section In Percent Capacitance Change:

-56.0 to 22.0 without voltage applied single section

## Nonderated Operating Temp:

Between -55.0 degrees celsius and 85.0 degrees celsius

## Nonderated Continuous Voltage Rating And Type Per Section:

1000.0 dc single section

#### **Tolerance Range Per Section:**

-0.00 to 100.00 percent single section

#### **Case Material:**

Plastic

Insulation Resistance At Reference Temp:

10000.0 megohms

#### **Power Factor At Reference Tempurature In Percent:**

2.5000

# **Terminal Surface Treatment:**

Solder

# Test Data Document:

13499-913-318-00 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing,

etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

# Terminal Type And Quantity:

2 uninsulated wire lead

# Shelf Life:

N/a

## Unit Of Measure:



Demilitarization:

No

Fiig:

A010b0