## NSN 5910-00-080-2330

Mica Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-080-2330

**Body Style:** W/o mtg faci

W/o mtg facilities terminal (s) on one surface

Reliability Indicator:

Not established

**Terminal Length:** 

1.250 inches

**Body Length:** 

0.450 inches

**Body Width:** 

0.360 inches

Body Height:

0.180 inches

**Center To Center Distance Between Terminals Parallel To Length:** 

Between 0.203 inches and 0.265 inches

**Terminal Diameter:** 

0.025 inches

**Schematic Diagram Designator:** 

No common or grounded electrode (s)

**Insulation Resistance At Maximum Operating Temp:** 

10000.0 megohms

**Capacitance Value Per Section:** 

71.000 picofarads single section

**Nonderated Operating Temp:** 

Between -55.0 degrees celsius and 125.0 degrees celsius

Nonderated Continuous Voltage Rating And Type Per Section:

500.0 dc single section

Tempurature Coefficient Of Capacitance Range Per Section In Ppm Per Deg Celsius:

-20.00 to 100.00 single section

**Tolerance Range Per Section:** 

-2.00 to 2.00 percent single section

**Case Material:** 

Plastic

**Insulation Resistance At Reference Temp:** 

50000.0 megohms

**Terminal Surface Treatment:** 

Solder

**Terminal Type And Quantity:** 

2 uninsulated wire lead

Shelf Life:

N/a

**Unit Of Measure:** 

--

## NSN 5910-00-080-2330

Mica Dielectric Fixed Capacitor - Page 2 of 2



Demilitarization:

No

Fiig:

A010b0