## NSN 5910-00-088-8726

Paper Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-088-8726

**Body Style:** W/mtg tabs/flanges, terminal (s) on one surface **Reliability Indicator:** Not established **Terminal Length:** 0.313 inches **Body Length:** 3.562 inches **Body Width:** 1.688 inches **Body Height:** 1.690 inches **Center To Center Distance Between Terminals Parallel To Length:** 4.063 inches **Unthreaded Mounting Hole Diameter:** 0.196 inches **Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:** 4.063 inches **Schematic Diagram Designator:** No common or grounded electrode (s) Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 1.188 inches **Mounting Facility Type And Quantity:** 4 unthreaded mounting holes **Capacitance Value Per Section:** 50000.000 picofarads single section **Nonderated Operating Temp:** Between -55.0 degrees celsius and 85.0 degrees celsius Nonderated Continuous Voltage Rating And Type Per Section: 7500.0 dc single section **Tolerance Range Per Section:** -10.00 to 10.00 percent single section **Case Material:** 

Plastic

**Insulation Resistance At Reference Temp:** 

20000.0 megohm-microfarads

**Terminal Surface Treatment:** 

Solder

**Test Data Document:** 

12217-1145019+4 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing,

etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

**Terminal Type And Quantity:** 

2 solder stud

## NSN 5910-00-088-8726

Paper Dielectric Fixed Capacitor - Page 2 of 2



_					
٠.	n	_	I+	18	e:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A010b0