NSN 5910-00-103-5165

Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-103-5165

g
Body Style:
W/o mtg facilities, terminal (s) on one endw/o mtg facilities, terminal(s) on one end
Reliability Indicator:
Not establishednot established
Terminal Length:
0.250 inches 0.250 inches
Body Diameter:
1.437 inches
Body Length:
3.500 inches
Terminal Diameter:
0.190 inches
Schematic Diagram Designator:
No common or grounded electrode (s)
Impedance At Minimum Operating Tempurature In Ohms:
4.0
Electrical Polarization:
Polarized
Capacitance Value Per Section:
2100.000 microfarads single section
Nonderated Operating Temp:
Between -40.0 degrees celsius and 85.0 degrees celsius
Dc Leakage At Maximum Operating Temp:
7.0 milliamperes
Nonderated Continuous Voltage Rating And Type Per Section:
40.0 dc single section
Tolerance Range Per Section:
-10.00/+75.00 percent single section
Case Material:
Metal
Capacitive Electrode Material:
Aluminum
Equivalent Series Resistance At Reference Tempurature In Ohms:
0.17
Dc Leakage At Reference Temp:
4.000 milliamperes
Case Insulation Material:
Plastic
Terminal Type And Quantity:

N/a

Shelf Life:

2 unthreaded hole

NSN 5910-00-103-5165

Electrolytic Fixed Capacitor - Page 2 of 2



		• •			
ш	ın	10	<i>(</i>)+	Measure:	

--

Demilitarization:

No

Fiig:

A010b0