NSN 5910-00-103-7652



Electrolytic Fixed Capacitor - Page 1 of 1 View Online at https://aerobasegroup.com/nsn/5910-00-103-7652 **Body Style:** W/o mtg facilities, terminal (s) on one end Reliability Indicator: Not established **Body Diameter:** 3.062 inches **Body Length:** 6.000 inches **Schematic Diagram Designator:** No common or grounded electrode (s) **Electrical Polarization:** Polarized **End Application:** Spruance class dd (963), nimitz class cvn, wasp class lhd, tarawa class lha, oliver perry class ffg, arleigh burke class ddg, kidd class ddg, ticonderoga class cg (47). **Capacitance Value Per Section:** 22000.000 microfarads single section **Nonderated Operating Temp:** Between -20.0 degrees celsius and 85.0 degrees celsius Nonderated Continuous Voltage Rating And Type Per Section: 75.0 dc single section **Criticality Code Justification:** Feat **Tolerance Range Per Section:** -10.00/+50.00 percent single section **Case Material:** Metal **Capacitive Electrode Material:** Aluminum **Case Insulation Material: Plastic Special Features:** Weapon system essential **Terminal Type And Quantity:** 2 threaded hole Shelf Life: N/a **Unit Of Measure:**

No

Demilitarization:

Fiig:

A010b0