## NSN 5910-00-105-7532

Air Dielectric Variable Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-105-7532 **Thread Class:** 2a **Body Style:** Plate-meshing **Overall Length:** Between 1.172 inches and 1.234 inches **Terminal Length:** 0.219 inches **Bushing Diameter:** 0.250 inches **Overall Height:** 0.750 inches **Overall Width:** 0.625 inches **Shaft Diameter:** 0.188 inches single shaft **Bushing Length:** 0.250 inches **Shaft Length:** 0.500 inches single shaft **Body Length:** Between 0.672 inches and 0.734 inches **Fragility Factor:** Moderately rugged **Mounting Facility Screw Thread Series Designator:** Unc **Inclosure Type:** Uninclosed Plate Quantity: 5 **Tuning Characteristic:** Straight line capacity single section **Bushing Shape:** Round w/flat Insulation Dc Resistance At 25 Deg Celsius: 50000.0 megohms **Bushing Width:** 0.188 inches **Mounting Facility Type And Quantity:** 

1 threaded bushing

**Nonderated Operating Temp:** 

Between -55.0 degrees celsius and 85.0 degrees celsius

## NSN 5910-00-105-7532

Air Dielectric Variable Capacitor - Page 2 of 2



| Thread Size:                               |
|--|
| 0.250 inches                               |
| Shaft Type:                                |
| Round, slotted single shaft                |
| Capacitance Range In Picofarads:           |
| +1.5/+5.0 single section                   |
| Nonderated Voltage Rating And Type:        |
| 1250.0 ac peak single section              |
| Adjustment Device Drive Type And Quantity: |
| 1 shaft                                    |
| Material:                                  |
| Steatite base                              |
| Terminal Type And Quantity:                |
| 2 tab, solder lug                          |
| Shelf Life:                                |
| N/a  |
| Unit Of Measure:                           |
|  |
| Demilitarization:                          |
| No   |
| Fiig:                                      |
| A000-0                                     |