NSN 5910-00-106-3758

Glass Dielectric Variable Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-106-3758 **Body Style:** Piston **Overall Length:** 1.547 inches **Shaft Length:** 0.125 inches single shaft **Body Length:** 1.422 inches **Overall Diameter:** 0.312 inches Tempurature Coefficient Of Capacitance Range In Ppm Per Deg Celsius: -150.0/+150.0 single section **Center To Center Distance Between Terminals Parallel To Length:** 1.375 inches **Center To Center Distance Between Terminals Parallel To Diameter:** 0.234 inches **Quality Factor At 25 Deg Celsius:** 250.0 **Inclosure Type: Encased Adjustment Device Torque:** Between 1.000 inch-ounces and 10.000 inch-ounces Insulation Dc Resistance At 25 Deg Celsius: 1000.0 gigohms **Insulation Dc Resistance At Max Operating Temp:** 100.0 gigohms **Mounting Facility Type And Quantity:** 4 terminal **Nonderated Operating Temp:** Between -55.0 degrees celsius and 125.0 degrees celsius **Shaft Type:** Round, slotted single shaft Capacitance Range In Picofarads: +1.0/+75.0 single section **Nonderated Voltage Rating And Type:** 1000.0 dc continuous single section **Adjustment Device Drive Type And Quantity:** 1 shaft **Capacitance Drift In Picofarads:**

Terminal Type And Quantity: 4 wire lead

0.08 single section

NSN 5910-00-106-3758

Glass Dielectric Variable Capacitor - Page 2 of 2



Shelf	Life:
N/a	

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A096a0