NSN 5910-00-110-7672



Paper Dielectric Fixed Capacitor - Page 1 of 2
View Online at https://aerobasegroup.com/nsn/5910-00-110-7672
Body Style:
W/thd mtg hol (s)/stud(s) terminal(s) on one surface
Reliability Indicator:
Not established
Body Length:
4.450 inches
Body Width:
2.500 inches
Body Height:
2.250 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
3.656 inches
Schematic Diagram Designator:
Series connected, end terminal grounded to case
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
1.719 inches
Internal Electrical Connection Type:
Extended foil
Mounting Facility Screw Thread Series Designator:
Unc
Mounting Facility Type And Quantity:
4 threaded mounting studs
Capacitance Value Per Section:
3.500 microfarads all sections
Nonderated Operating Temp:
Between -65.0 degrees celsius and 85.0 degrees celsius
Thread Size:
0.164 inches

Nonderated Continuous Voltage Rating And Type Per Section:

208.0 ac-rms all sections

Tolerance Range Per Section:

-10.00 to 0.00 percent all sections

Case Material:

Metal

Insulation Resistance At Reference Temp:

1000.0 megohms

Power Factor At Reference Tempurature In Percent:

2.000

Terminal Surface Treatment:

Solder

Terminal Type And Quantity:

4 tab, solder lug

NSN 5910-00-110-7672

Paper Dielectric Fixed Capacitor - Page 2 of 2



_				
c	hο	JIF.		ife:
J			_	HG.

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0