

View Online at <https://aerobasegroup.com/nsn/5910-00-114-1357>

Body Style:

Concentric

Width Between Flats:

0.188 inches single shaft

Flange Diameter:

2.313 inches

Overall Height:

5.682 inches

First Flat Length:

0.100 inches single shaft

Shaft Diameter:

0.2492 inches single shaft

Shaft Length:

0.274 inches single shaft

Alternating Current Rating In Amps:

40.0

Body Height:

5.094 inches

Overall Diameter:

2.313 inches

Dissipation Factor At 25 Deg Celsius In Percent:

0.001

Adjustment Device Rotation:

16.0 turns clockwise

Adjustment Device Torque:

40.000 inch-ounces

Mounting Facility Type And Quantity:

5 terminal

Nonderated Operating Temp:

Between -55.0 degrees celsius and 100.0 degrees celsius

Shaft Type:

Round, parallel flatted, threaded hole single shaft

Capacitance Range In Picofarads:

+5.0 to 465.0 single section

Nonderated Voltage Rating And Type:

10000.0 ac peak single section

Adjustment Device Drive Type And Quantity:

1 geared shaft

Test Data Document:

81349-mil-c-23183 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Terminal Type And Quantity:

4 threaded hole and 1 flange

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A096a0