NSN 5910-00-116-8966

Glass Dielectric Variable Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-116-8966
Thread Class:
2a
Body Style:
Piston
Overall Length:
0.485 inches
Bushing Diameter:
0.120 inches
Bushing Length:
0.219 inches
Body Length:
0.266 inches
Overall Diameter:
0.140 inches
Tempurature Coefficient Of Capacitance Range In Ppm Per Deg Celsius:
-300.0 to 100.0 single section
Quality Factor At 25 Deg Celsius:
500.0
Mounting Facility Screw Thread Series Designator:
Uns
Inclosure Type:
Encapsulated
Bushing Shape:
Round
Insulation Dc Resistance At 25 Deg Celsius:
10.0 gigohms
Mounting Facility Type And Quantity:
1 threaded bushing
Thready Qty Per Inch (tpi):
80
Nonderated Operating Temp:
Between -55.0 degrees celsius and 125.0 degrees celsius
Thread Size:
0.120 inches
Capacitance Range In Picofarads:
+0.3/+3.0 single section
Nonderated Voltage Rating And Type:
250.0 dc continuous single section
Adjustment Device Drive Type And Quantity:
1 slotted screw

Capacitance Drift In Picofarads:

0.04 single section

NSN 5910-00-116-8966

Glass Dielectric Variable Capacitor - Page 2 of 2



Terminal Type And Quantity:
1 wire lead
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A096a0