# NSN 5910-00-126-9594

Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-126-9594

#### **Body Style:**

W/mtg tabs/flanges, terminal (s) on one surface

#### **Reliability Indicator:**

Not established

### **Body Length:**

1.812 inches

#### Body Width:

1.062 inches

#### **Body Height:**

1.062 inches

#### **Unthreaded Mounting Hole Diameter:**

0.187 inches

#### Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

2.125 inches

#### Schematic Diagram Designator:

No common or grounded electrode (s)

#### Anode Type:

Solid

#### **Electrical Polarization:**

Polarized

#### Mounting Facility Type And Quantity:

2 unthreaded mounting holes

#### Capacitance Value Per Section:

25.000 microfarads single section

#### Nonderated Operating Temp:

Between -40.0 degrees celsius and 85.0 degrees celsius

#### Nonderated Continuous Voltage Rating And Type Per Section:

50.0 dc single section

#### **Tolerance Range Per Section:**

-10.00/+150.00 percent single section

#### **Case Material:**

Metal

# **Capacitive Electrode Material:**

Aluminum

# **Terminal Surface Treatment:**

Solder

# Test Data Document:

81349-mil-c-62a specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

# Terminal Type And Quantity:

1 tab, solder lug

Shelf Life:

N/a

# NSN 5910-00-126-9594

Electrolytic Fixed Capacitor - Page 2 of 2



Unit Of Measure:

---

Demilitarization:

No

Fiig:

A010b0