NSN 5910-00-126-9594

Electrolytic Fixed Capacitor - Page 1 of 2



view Online at https://aerobasegroup.com/hsh/5910-00-126-9594
Body Style:
W/mtg tabs/flanges, terminal (s) on one surface
Reliability Indicator:
Not established
Body Length:
1.812 inches
Body Width:
1.062 inches
Body Height:
1.062 inches
Unthreaded Mounting Hole Diameter:
0.187 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
2.125 inches
Schematic Diagram Designator:
No common or grounded electrode (s)
Anode Type:
Solid
Electrical Polarization:
Polarized
Mounting Facility Type And Quantity:
2 unthreaded mounting holes
Capacitance Value Per Section:
25.000 microfarads single section
Nonderated Operating Temp:
Between -40.0 degrees celsius and 85.0 degrees celsius
Nonderated Continuous Voltage Rating And Type Per Section:
50.0 dc single section
Tolerance Range Per Section:
-10.00/+150.00 percent single section
Case Material:
Metal
Capacitive Electrode Material:
Aluminum
Terminal Surface Treatment:
Solder
Test Data Document:
81349-mil-c-62a specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format;
excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental
and performance requirements and test conditions that are shown as "typical" "average" "" etc.)

Shelf Life:

N/a

1 tab, solder lug

Terminal Type And Quantity:

NSN 5910-00-126-9594

Electrolytic Fixed Capacitor - Page 2 of 2



		• •			
ш	ın	10	<i>(</i>)+	Measure:	

--

Demilitarization:

No

Fiig:

A010b0