NSN 5910-00-127-2216

Body Style:

Plastic polyester

Plastic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-127-2216

W/o mtg facilities terminal (s) on one surface			
Reliability Indicator:			
Not established			
Terminal Length:			
1.625 inches			
Body Length:			
1.130 inches			
Body Width:			
0.569 inches			
Body Height:			
0.328 inches			
Center To Center Distance Between Terminals Parallel To Length:			
1.000 inches			
Terminal Diameter:			
0.032 inches			
Schematic Diagram Designator:			
No common or grounded electrode (s)			
Internal Electrical Connection Type:			
Extended foil			
Insulation Resistance At Maximum Operating Temp:			
1000.0 megohm-microfarads			
Capacitance Value Per Section:			
0.470 microfarads single section			
Nonderated Operating Temp:			
Between -55.0 degrees celsius and 85.0 degrees celsius			
Tempurature Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius:			
500.0 single section			
Nonderated Continuous Voltage Rating And Type Per Section:			
50.0 dc single section			
Tolerance Range Per Section:			
-5.00/+5.00 percent single section			
Case Material:			
Plastic			
Insulation Resistance At Reference Temp:			
20000.0 megohm-microfarads			
Dissipation Factor At Reference Tempurature In Percent:			
0.5000			
Terminal Surface Treatment:			
Solder			
Dielectric Material:			

NSN 5910-00-127-2216

Plastic Dielectric Fixed Capacitor - Page 2 of 2



Terminal	Type	And	Quantity:
-----------------	------	-----	-----------

2 uninsulated wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0