NSN 5910-00-133-0497

Glass Dielectric Variable Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-133-0497
Body Style:
Piston
Overall Length:
2.266 inches
Body Length:
2.219 inches
Overall Diameter:
0.563 inches
Tempurature Coefficient Of Capacitance In Ppm Per Deg Celsius:
50.0 single section
Tolerance Of Tempurature Coefficient In Ppm Per Deg Celsius:
-150.0 to 150.0 single section
Center To Center Distance Between Terminals Parallel To Length:
0.266 inches
Quality Factor At 25 Deg Celsius:
1000.0
Inclosure Type:
Encapsulated
Adjustment Device Rotation:
180.0 degrees clockwise and 180.0 degrees counterclockwise
Adjustment Device Torque:
Between 1.000 inch-ounces and 10.000 inch-ounces
Insulation Dc Resistance At 25 Deg Celsius:
10.0 gigohms
Mounting Facility Type And Quantity:
2 terminal
Nonderated Operating Temp:
Between -55.0 degrees celsius and 125.0 degrees celsius
Capacitance Range In Picofarads:
+2.0 to 312.0 single section
Nonderated Voltage Rating And Type:
100.0 dc continuous single section
Adjustment Device Drive Type And Quantity:
1 slotted screw
Terminal Type And Quantity:
2 wire lead
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No

NSN 5910-00-133-0497

Glass Dielectric Variable Capacitor - Page 2 of 2



Fiig:

A096a0