

View Online at <https://aerobasegroup.com/nsn/5910-00-135-4370>

Body Style:

W/o mtg facilities, terminal (s) on one end/w/o mtg facilities, terminal(s) on one end/w/o mtg facilities, terminal(s) on one end

Reliability Indicator:

Not established/not established/not established

Terminal Length:

Between 0.250 inches and 0.250 inches and 0.250 inches and 0.312 inches 0.312 inches 0.312 inches

Body Diameter:

Between 3.000 inches and 3.094 inches

Body Length:

Between 4.125 inches and 4.563 inches

Center To Center Distance Between Terminals Parallel To Diameter:

Between 1.187 inches and 1.313 inches

Terminal Diameter:

0.190 inches

Schematic Diagram Designator:

Electrod (s) grounded to case, w/gnd terminal

Anode Type:

Plain foil

Impedance At Minimum Operating Temperature In Ohms:

2.1

Electrical Polarization:

Polarized

Capacitance Value Per Section:

4500.000 microfarads single section

Nonderated Operating Temp:

Between -40.0 degrees celsius and 85.0 degrees celsius

Nonderated Continuous Voltage Rating And Type Per Section:

100.0 dc single section

Tolerance Range Per Section:

-10.00/+75.00 percent single section

Case Material:

Metal

Capacitive Electrode Material:

Aluminum

Case Insulation Material:

Plastic

Terminal Type And Quantity:

2 threaded hole

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A010b0