## NSN 5910-00-139-2394

Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-139-2394

## Body Style:

W/thd bushing mtg, terminal (s) on one end

## **Reliability Indicator:**

Not established

## **Terminal Length:**

0.438 inches

## Body Diameter:

1.375 inches

## **Body Length:**

3.250 inches

## Center To Center Distance Between Terminals Parallel To Diameter:

1.375 inches

## Schematic Diagram Designator:

Electrod (s) grounded to case, w/gnd terminal

## Anode Type:

Plain foil

#### **Electrical Polarization:**

Polarized

#### **Capacitance Value Per Section:**

650.000 microfarads single section

#### Nonderated Operating Temp:

Between -40.0 degrees celsius and 85.0 degrees celsius

#### Nonderated Continuous Voltage Rating And Type Per Section:

50.0 dc single section

#### **Tolerance Range Per Section:**

-10.00 to 75.00 percent single section

#### Case Material:

Metal

## Capacitive Electrode Material:

Aluminum

## Dissipation Factor At Reference Tempurature In Percent:

25.0000

## Equivalent Series Resistance At Reference Tempurature In Ohms:

23.00

#### Dc Leakage At Reference Temp:

0.100 milliamperes

#### **Terminal Surface Treatment:**

Solder

#### **Terminal Type And Quantity:**

2 tab, solder lug

#### Shelf Life:

N/a

# NSN 5910-00-139-2394

Electrolytic Fixed Capacitor - Page 2 of 2



Unit Of Measure:

---

Demilitarization:

No

Fiig:

A010b0