Mica Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-139-6690

## **Body Style:**

W/o mtg facilities terminal (s) on one surface

**Reliability Indicator:** 

Not established

**Terminal Length:** 

1.250 inches

Body Length:

0.665 inches

Body Width:

0.625 inches

**Body Height:** 

0.242 inches

#### Center To Center Distance Between Terminals Parallel To Length:

Between 0.319 inches and 0.381 inches

#### Schematic Diagram Designator:

No common or grounded electrode (s)

#### Capacitance Value Per Section:

4300.000 picofarads single section

## Nonderated Operating Temp:

Between -55.0 degrees celsius and 125.0 degrees celsius

## Nonderated Continuous Voltage Rating And Type Per Section:

500.0 dc single section

## Tempurature Coefficient Of Capacitance Range Per Section In Ppm Per Deg Celsius:

-0.0 to 70.0 single section

## **Tolerance Range Per Section:**

-2.00 to 2.00 percent single section

#### **Case Material:**

Plastic

Insulation Resistance At Reference Temp:

100000.0 megohms

# **Terminal Surface Treatment:**

Solder

# **Special Test Features:**

Burn-in

# Terminal Type And Quantity:

2 uninsulated wire lead

Shelf Life:

N/a

Unit Of Measure:

---

## Demilitarization:

No

# NSN 5910-00-139-6690

Mica Dielectric Fixed Capacitor - Page 2 of 2

**Fiig:** A010b0

