NSN 5910-00-144-2550

Plastic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-144-2550 **Body Style:** W/o mtg facilities terminal (s) on one surface **Reliability Indicator:** Not established **Terminal Length:** 1.125 inches **Body Length:** 0.930 inches **Body Width:** 0.312 inches **Body Height:** 0.100 inches **Center To Center Distance Between Terminals Parallel To Length:** 0.700 inches **Terminal Diameter:** 0.020 inches **Schematic Diagram Designator:** No common or grounded electrode (s) **Insulation Resistance At Maximum Operating Temp:** 1000000.0 megohms **Capacitance Value Per Section:** 7550.000 picofarads single section **Nonderated Operating Temp:** 85.0 degrees celsius Tempurature Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius: -190.0 single section Nonderated Continuous Voltage Rating And Type Per Section: 100.0 dc single section **Tolerance Of Tempurature Coefficient Per Section In Ppm Per Deg Celsius:** -30.0/+30.0 single section **Tolerance Range Per Section:** -2.00/+2.00 percent single section **Case Material:** Plastic **Insulation Resistance At Reference Temp:** 10000000.0 megohms **Dissipation Factor At Reference Tempurature In Percent:** 0.0100 **Terminal Surface Treatment:** Nickel

Dielectric Material:

Plastic polystyrene

NSN 5910-00-144-2550

Plastic Dielectric Fixed Capacitor - Page 2 of 2



i ei ii ii iai Tybe And Quantity.	Tε	rminal	Type	And	Quantity:	
-----------------------------------	----	--------	------	-----	-----------	--

2 uninsulated wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0