NSN 5910-00-147-7347

Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-147-7347

view Offilitie at https://defobasegroup.com/hsi//0910-00-147-7347
Body Style:
W/o mtg facilities terminal (s) on one surface
Reliability Indicator:
Not established
Terminal Length:
1.500 inches
Body Length:
0.360 inches
Body Width:
0.325 inches
Body Height:
0.170 inches
Center To Center Distance Between Terminals Parallel To Length:
Between 0.195 inches and 0.205 inches
Schematic Diagram Designator:
No common or grounded electrode (s)
Anode Type:
Solid
Electrical Polarization:
Polarized
Capacitance Value Per Section:
56.000 microfarads single section
Nonderated Operating Temp:
Between -55.0 degrees celsius and 85.0 degrees celsius
Dc Leakage At Maximum Operating Temp:
12.5 milliamperes
Nonderated Continuous Voltage Rating And Type Per Section:
6.0 dc single section
Tolerance Range Per Section:
-10.00 to 10.00 percent single section
Case Material:
Plastic
Capacitive Electrode Material:
Tantalum
Dissipation Factor At Reference Tempurature In Percent:
6.0000
Dc Leakage At Reference Temp:
1.000 microamperes
Terminal Surface Treatment:
Solder

Terminal Type And Quantity:

2 uninsulated wire lead

NSN 5910-00-147-7347

Electrolytic Fixed Capacitor - Page 2 of 2



_				
c	hο	.1+		ife:
J	116		_	HG.

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0