

View Online at https://aerobasegroup.com/nsn/5910-00-153-0024

## **Body Style:**

W/o mtg facilities terminal (s) on one surface

**Reliability Indicator:** 

Not established

# **Terminal Length:**

1.250 inches

**Body Length:** 

0.300 inches

#### **Body Width:**

0.300 inches

**Body Height:** 

0.125 inches

## Center To Center Distance Between Terminals Parallel To Length:

Between 0.169 inches and 0.231 inches

### **Terminal Diameter:**

0.020 inches

## Schematic Diagram Designator:

No common or grounded electrode (s)

## **Capacitance Value Per Section:**

10000.000 picofarads single section

# Voltage Tempurature Limits Per Section In Percent Capacitance Change:

-35.0/+10.0 with rated voltage applied single section

## Nonderated Operating Temp:

Between -55.0 degrees celsius and 85.0 degrees celsius

## Nonderated Continuous Voltage Rating And Type Per Section:

100.0 dc single section

### **Tolerance Range Per Section:**

-20.00/+20.00 percent single section

#### **Case Material:**

Plastic

#### Insulation Resistance At Reference Temp:

100000.0 megohms

## **Dissipation Factor At Reference Tempurature In Percent:**

2.5000

## **Terminal Surface Treatment:**

Solder

## **Test Data Document:**

01714-g395906 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

## Terminal Type And Quantity:

2 uninsulated wire lead

# Shelf Life:



Unit Of Measure:

---

Demilitarization:

No

Fiig:

A010b0