

View Online at <https://aerobasegroup.com/nsn/5910-00-153-4689>

Body Style:

W/thd mtg hol (s)/stud(s) terminals on one surface

Reliability Indicator:

Not established

Terminal Length:

Between 0.380 inches and 0.500 inches

Body Length:

5.940 inches

Body Width:

4.250 inches

Body Height:

1.960 inches

Continuous Current Rating In Amps:

10.0

Unthreaded Mounting Hole Diameter:

0.203 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

5.500 inches

Schematic Diagram Designator:

No common or grounded electrode (s)

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

0.906 inches

Mounting Facility Type And Quantity:

4 unthreaded mounting holes

Capacitance Value Per Section:

15000.000 picofarads single section

Nonderated Operating Temp:

Between -55.0 degrees celsius and 100.0 degrees celsius

Nonderated Continuous Voltage Rating And Type Per Section:

40000.0 dc single section

Tolerance Range Per Section:

-5.00 to 5.00 percent single section

Case Material:

Plastic

Insulation Resistance At Reference Temp:

50000.0 megohms

Power Factor At Reference Temperature In Percent:

1.0000

Quality Factor At Reference Temp:

1.0000

Dielectric Material:

Plastic

Terminal Type And Quantity:

2 threaded stud

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0