Plastic Dielectric Fixed Capacitor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5910-00-153-8195

## **Body Style:**

W/o mtg facilities, terminals on opposite surfaces

**Reliability Indicator:** 

Not established

**Terminal Length:** 

2.500 inches

**Body Length:** 

0.420 inches

**Body Width:** 

0.170 inches

**Body Height:** 

0.290 inches

Schematic Diagram Designator:

No common or grounded electrode (s)

#### **Capacitance Value Per Section:**

1000.000 picofarads single section

### **Nonderated Operating Temp:**

Between -55.0 degrees celsius and 85.0 degrees celsius

## Nonderated Continuous Voltage Rating And Type Per Section:

100.0 dc single section

### **Tolerance Range Per Section:**

-5.00/+5.00 percent single section

### Case Material:

Plastic

### Insulation Resistance At Reference Temp:

10000.0 megohm-microfarads

## **Dissipation Factor At Reference Tempurature In Percent:**

1.0000

# **Terminal Surface Treatment:**

Solder

### **Test Data Document:**

10001-1563077 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.;

excludes any specification, standard or other document that may be referenced in a basic governing drawing)

# Terminal Type And Quantity:

2 uninsulated wire lead

### Shelf Life:

N/a

# Unit Of Measure:

---

# Demilitarization:

No

- Fiig:
- A010b0