Paper Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-160-4802

## **Body Style:**

W/mtg bracket, terminal (s) on one end

**Reliability Indicator:** 

Not established

# Body Diameter:

1.000 inches

Body Length:

1.781 inches

#### **Unthreaded Mounting Hole Diameter:**

0.281 inches

#### Schematic Diagram Designator:

Electrod (s) grounded to case

## Mounting Facility Type And Quantity:

1 unthreaded mounting holes

#### **Features Provided:**

Hermetically sealed case

## Insulation Resistance At Maximum Operating Temp:

15.0 megohm-microfarads

## **Capacitance Value Per Section:**

0.500 microfarads single section

## Nonderated Operating Temp:

Between -55.0 degrees celsius and 85.0 degrees celsius

## Nonderated Continuous Voltage Rating And Type Per Section:

100.0 dc single section

## **Tolerance Range Per Section:**

-10.00 to 50.00 percent single section

#### Case Material:

Metal

Insulation Resistance At Reference Temp:

1500.0 megohm-microfarads

#### **Dissipation Factor At Reference Tempurature In Percent:**

1.0000

## Test Data Document:

81349-mil-c-12889 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

# Terminal Type And Quantity:

1 threaded hole

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

# NSN 5910-00-160-4802

Paper Dielectric Fixed Capacitor - Page 2 of 2

**Fiig:** A010b0

