Paper Dielectric Fixed Capacitor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5910-00-164-7573

Body Style:

W/thd mtg hol (s)/stud(s) terminal(s) on one surface

Reliability Indicator:

Not established

Body Length:

1.406 inches

Body Width:

0.469 inches

Body Height:

3.438 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

1.000 inches

Schematic Diagram Designator:

No common or grounded electrode (s)

Mounting Facility Type And Quantity:

2 threaded mounting studs

Capacitance Value Per Section:

1.000 microfarads single section

Nonderated Operating Temp:

Between -55.0 degrees celsius and 85.0 degrees celsius

Nonderated Continuous Voltage Rating And Type Per Section:

180.0 ac-rms single section and 200.0 dc single section

Tolerance Range Per Section:

+0.00 to 0.25 microfarads single section

Case Material:

Metal

Test Data Document:

81349-mil-c020/7 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Terminal Type And Quantity:

2 tab, solder lug Shelf Life: N/a Unit Of Measure: --Demilitarization: No Fiig: A010b0