NSN 5910-00-165-0492

Ceramic Dielectric Variable Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-165-0492
Body Style:
Rotary
Terminal Length:
0.375 inches
Body Length:
0.250 inches
Body Width:
0.250 inches
Body Height:
0.125 inches
Tolerance Of Tempurature Coefficient In Ppm Per Deg Celsius:
-300.0 to 300.0 single section
Terminal Diameter:
0.023 inches
Quality Factor At 25 Deg Celsius:
500.0
Inclosure Type:
Encapsulated
Adjustment Device Torque:
Between 1.000 inch-ounces and 5.000 inch-ounces
Insulation Dc Resistance At 25 Deg Celsius:
10.0 gigohms
Nonderated Operating Temp:
Between -55.0 degrees celsius and 85.0 degrees celsius
Capacitance Range In Picofarads:
+5.0 to 30.0 single section
Nonderated Voltage Rating And Type:
50.0 dc continuous single section
Adjustment Device Drive Type And Quantity:
1 slotted screw
Capacitance Drift In Picofarads:
0.50 single section
Special Features:
Terminal mtd
Terminal Type And Quantity:
2 pin
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No

NSN 5910-00-165-0492

Ceramic Dielectric Variable Capacitor - Page 2 of 2



Fiig:

A096a0