

View Online at https://aerobasegroup.com/nsn/5910-00-165-2758

## **Body Style:**

W/o mtg facilities, radial terminals

## **Reliability Indicator:**

Not established

# Body Diameter:

0.225 inches

#### Body Length:

0.687 inches

### **Terminal Height From Body:**

1.250 inches

### Schematic Diagram Designator:

No common or grounded electrode (s)

### Insulation Resistance At Maximum Operating Temp:

1000.0 megohms

#### **Capacitance Value Per Section:**

75.000 picofarads single section

# Nonderated Operating Temp:

Between -55.0 degrees celsius and 125.0 degrees celsius

## Tempurature Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius:

-330.0 single section

## Nonderated Continuous Voltage Rating And Type Per Section:

500.0 dc single section

## Tolerance Of Tempurature Coefficient Per Section In Ppm Per Deg Celsius:

-60.0 to 60.0 single section

#### **Tolerance Range Per Section:**

-1.00/+1.00 percent single section

#### **Case Material:**

Plastic

#### Insulation Resistance At Reference Temp:

50000.0 megohms

#### **Terminal Surface Treatment:**

Solder

# Test Data Document:

81349-mil-c-20/6 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

# **Terminal Type And Quantity:**

2 uninsulated wire lead

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

# NSN 5910-00-165-2758 Ceramic Dielectric Fixed Capacitor - Page 2 of 2

**Fiig:** A010b0

