NSN 5910-00-175-5852

Ceramic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-00-175-5852
Body Style:
W/o mtg facilities terminal (s) on one surface
Reliability Indicator:
Not established
Terminal Length:
1.500 inches
Body Length:
0.200 inches
Body Width:
0.200 inches
Body Height:
0.125 inches
Center To Center Distance Between Terminals Parallel To Length:
Between 0.169 inches and 0.231 inches
Schematic Diagram Designator:
No common or grounded electrode (s)
Capacitance Value Per Section:
470.000 picofarads single section
Nonderated Operating Temp:
Between -55.0 degrees celsius and 150.0 degrees celsius
Tempurature Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius:
0.0 single section
Nonderated Continuous Voltage Rating And Type Per Section:
100.0 dc single section
Tolerance Of Tempurature Coefficient Per Section In Ppm Per Deg Celsius:
-30.0 to 30.0 single section
Tolerance Range Per Section:
-2.00/+2.00 percent single section
Case Material:
Case Material: Plastic
Plastic
Plastic Insulation Resistance At Reference Temp:
Plastic Insulation Resistance At Reference Temp: 100000.0 megohms
Plastic Insulation Resistance At Reference Temp: 100000.0 megohms Quality Factor At Reference Temp:
Plastic Insulation Resistance At Reference Temp: 100000.0 megohms Quality Factor At Reference Temp: 1000.0000
Plastic Insulation Resistance At Reference Temp: 100000.0 megohms Quality Factor At Reference Temp: 1000.0000 Terminal Surface Treatment:
Plastic Insulation Resistance At Reference Temp: 100000.0 megohms Quality Factor At Reference Temp: 1000.0000 Terminal Surface Treatment: Solder
Plastic Insulation Resistance At Reference Temp: 100000.0 megohms Quality Factor At Reference Temp: 1000.0000 Terminal Surface Treatment: Solder Terminal Type And Quantity:

Unit Of Measure:

NSN 5910-00-175-5852

Ceramic Dielectric Fixed Capacitor - Page 2 of 2



Demilitarization:

No

Fiig:

A010b0